Qty:

: BASKET BASE ASSEMBLY (350)

: D2221

: N/A

: F/B1

: 11/8/2007

Drawing Number - : D2221/D2235

Date! User

Thursday, 10/25/2007 10:01:16 AM

Kim Johnston

Process Sheet

Drawing Name

Part Number

Material

Due Date

Project Number

Drawing Revision

1 Um:

Each

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 35344A

Estimate Number

: 10189

P.O. Number

This Issue

: 10/25/2007

Prsht Rev.

First Issue Previous Run : NC

: //

Type

: LARGE FAB ASSY

: 35177A

Written By

Checked & Approved By Comment

: Est Rev.J,

05.09.02

S.O. No. :

Added D3442-1 KJ/JLM

Additional Product

Job Number:

Seq. #:

Machine Or Operation:

Description:

1.0

D31661

Basket Hoop

Comment: Qty.:

4.0000 Each(s)/Unit

Total:

4.0000 Each(s)

J.J.L 07/10/25

J.J.L. 04/10/29

J.J.L. 07/10/15

Pick:

Qty Part Number D3166-1

Description

2.0

D22323

Basket Hinge



Comment: Qty.:

2.0000 Each(s)/Unit

Total:

2.0000 Each(s)

Pick:

Qty Part Number Description Batch 2 D2232-3 Hinge bracket 533200

3.0

D2325

Support Gusset (350 Bask

Comment: Qty.:

4.0000 Each(s)/Unit

Total:

4.0000 Each(s)

Pick:

Qty Part Number

Description

4 D2325

Support Gusset

4.0

D23273

Spacer Bushing

Comment: Qty.:

2.0000 Each(s)/Unit Total:

2.0000 Each(s)

Pick:

Qty Part Number

Description Batch

2 D2327-3 Bushing



J.J.L. 07/10/25

| Dart Aerospace I | Ltd |
|------------------|-----|
|------------------|-----|

| W/O: | | WORK ORDER CHANGES | | | | | | | |
|---------|------|--------------------|-----------------|----|----------|-------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PR | OCEDURE CHANGE | | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | ž. | | | | | |
| | | | | | Ť | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Part No |): | PAR #: | Fault Category: | | NCR: Yes | No DQ | A: | Date: | |

QA: N/C Closed: ____ Date: _

| | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|----------------------------------|------------------------|--|---|--|---|---|--|--|
| | Description of NC | | Corrective Action Section B | 3 | V: 6 | Approval Chief Eng | Approval QC Inspector | | |
| STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | | | | |
| | | | | | | | | | |
| | • | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | STEP | STEP Description of NC | STEP Description of NC Section A Initial | STEP Description of NC Section A Initial Action Description | STEP Description of NC Section A Initial Action Description Sign & | STEP Description of NC Corrective Action Section B Verification Section A Section C Section C | STEP Description of NC Section A Proval Initial Action Description Sign & Section C Chief Eng | | |

NOTE: Date & initial all entries

Date: Thursday, 10/25/2007 10:01:16 AM User: Kim Johnston **Process Sheet** Drawing Name: BASKET BASE ASSEMBLY (350) Customer: CU-DAR001 Dart Helicopters Services Job Number: 35344A Part Number: D2221 Job Number: Seq. #: Description: Machine Or Operation: D2581 Mounting Bracket 5.0 Comment: Qty.: J.J.L. 04/10/29 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: Qty Part Number Description Batch Mounting Bracket 5 3 D2581 D34421 6.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) J. J.L. 07/10/29 Pick: **Qty Part Number** Description 2 D3442-1 Shim M304EX07516F 7.0 Expanded Metal Flat Stai Comment: Qty.: 41.6745 sf(s)/Unit Total: 41.6745 sf(s) J.Jl. 07/10/29 Pick: Qty Part Number Description Batch M304EX0.75-16F Expanded Metal M 10 5939 39.69 sf 8.0 Comment: Qty.: 29.4000 f(s)/Unit Total: 29.4000 f(s) J.J.L 07/10/25 Pick: 28' 3/4" x 3/4" x 0.063 wall 304/316 SStubing Batch: M 105604 9.0 LARGE FAB 1 LARGE FABRICATION RESOURCE 1 J.J.L. 09/10/31 Comment: LARGE FABRICATION RESOURCE 1 1-Cut D2235-1 Rib from D3166-1 Rib As Per Dwg D2235 2-Drill hole in D2221-3 as per Dwg D2221 3-Deburr

4-Remove all markings on material before welding

5-Weld as per Dwg D2221 using Welding Table and comer JigDeburr as required

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|--|--|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | | |
| | | | | | - | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| Part No: | PAR #: | Fault Category: | NCR: Yes | No | DQA: | Date: |
|----------|--------|-----------------|----------|-------|--------|-------|
| | | | QA: N | 1/C C | losed: | Date: |
| | | | | | | |

| NCR: | | ER NON-CONFORMANO | CE (NCR) | | | | |
|------|-------------------|----------------------|------------------------------|----------------|------------------------|-----------|--------------------------|
| | Description of NC | | Corrective Action Section B | | | Approval | Ammend |
| DATE | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Verification Section C | Chief Eng | Approval QC Inspector |
| | , | | | | | | |
| | | | | | 1 | | |
| | | | | | | | } |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | è |
| | | | 4. | | | | |
| | • | | | | | | |

NOTE: Date & initial all entries

Date: Thursday, 10/25/2007 10:01:16 AM User: Kim Johnston **Process Sheet** Drawing Name: BASKET BASE ASSEMBLY (350) Customer: CU-DAR001 Dart Helicopters Services Job Number: 35344A Part Number: D2221 Job Number: Seq. #: Description: **Machine Or Operation:** QC9 VISUAL WELDING INSPECTION 10.0 Comment: VISUAL WELDING INSPECTION 10-31 (1) 11.0 QC6 DIMENSIONAL CHECK Comment: DIMENSIONAL CHECK POWDER COATING 12.0 POWDER COATING M105914 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 13.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION FINAL INSPECTION/W/O RELEASE 14.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE U St. U.St Job Completion

| Dart Ae | rospace Li | td | | | | | | | |
|---------|------------|--------------------|-------------------|---------------|------------|-------------------------------|--------------------------|----------|--|
| W/O: | | WORK ORDER CHANGES | | | | | | | |
| DATE | STEP | PROCE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | | |
| | | | | | | | | | |
| | | | 4 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Part No | • | PAR #: | Fault Category: | NCR: Yes | No DQA: | | Date: | | |
| | | | | QA: N | /C Closed: | | Date: | | |
| NCR: | | WO | RK ORDER NON-CON | FORMANCE (NCF | R) | | | | |
| DATE | eten | Description of NC | Corrective Action | n Section B | Verifica | tion | Approval | Approval | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|----------------------|------------------------------|----------------|------------------------|-----------------------|--------------------------|
| | | Description of NC | | Corrective Action Section B | | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | | | | | | |
| | | | | | + | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | 2 | | | | | | -1 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | 100 | | |

NOTE: Date & initial all entries



| DESIG | вW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
|-------|-------|-------------|--|
| CHEC | KED | APPROVED 41 | DRAWING NO. REV. F |
| | A | At | D2221 SHEET 1 OF 3 |
| DATE | | | TITLE SCALE |
| 05.0 | 06.07 | | BASKET BASE ASSEMBLY (350) NTS |
| С | | 95.11.21 | SEPARATE BASKET AND LID |
| D | | 96.06.21 | CHANGE LATCH |
| Ε | | 01.04.19 | CHANGE HINGE |
| F | | 05.06.07 | ADD SHIM UNDER HINGES, ADD HOLES FOR SPLIT LID BASKETS |

RELEASED 05.08.19

PARTS LIST FOR D2221 BASKET BASE ASSEMBLY

| PART NO | QUANTITY | LENGTH | LENGTH | DESCRIPTION |
|---------|----------|---------|----------------|----------------|
| | | Α | В | |
| D2221-1 | 2 | | 96.00√ | RIB |
| D2221-3 | 2 | | 25.50 v | RIB |
| D2221-5 | 2 | 18.88 ✔ | / | RIB |
| D2221-7 | 1 | 55.25 🗸 | | RIB |
| D2232-3 | 2 | N/A | N/A | HINGE PLATE |
| D2235-1 | 4 | N/A | N/A | RIB |
| D2325 | 4 | N/A | N/A | SUPPORT GUSSET |
| D2327-3 | 2 | N/A | N/A | BUSHING |
| D2581 | 2 | N/A | N/A | MTG BRKT |
| D3442-1 | 2 | N/A | N/A | SHIM |


SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WORK ORDER NO 3534

D2221-1/-3/-5/-7

- CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST 1)
- MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.060 WALL SQUARE TUBING 2) (REF. DART SPEC M304TS0.750W.060)
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3)
- ALL DIMENSIONS ARE IN INCHES 4)
- 5) DRILL Ø0.257 HOLES ONLY WHEN ASSEMBLING D2221 BASE WITH D2989-041/-043 BASKET LID


Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






| DESIGN BW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
|-----------|----------|--|------------------|
| CHECKED | APPROVED | DRAWING NO. D2221 SHEET | REV. F 3 OF 3 |
| DATE | | TITLE | SCALE |
| 05.06.07 | | BASKET BASE ASSEMBLY (350) | 1:8 |




DRILL 3/8 HOLE AND INSTALL D2327-3 USING CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION BOTH ENDS

SECTION A-A SAME BOTH END RIBS



Copyright © 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



| | THE REPORT OF THE PARTY OF THE | | | , |
|--|---|-------------|-----|---|
| 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1 | | | | |
| | | | | |
| | | | | |
| ÷2 | | | * | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | |) |
| | | | [8] | |